REPORT DOCUMENTATION PAGE

Form Approved OMB NO. 0704-0188

The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggesstions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA, 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any oenalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

1. REPORT DATE (DD-MM-YYYY)	2. REPORT TYPE		3. DATES COVERED (From - To)		
17-12-2015	Final Report		15-Aug-2014 - 14-Aug-2015		
4. TITLE AND SUBTITLE		5a. C0	ONTRACT NUMBER		
Final Report: Instrumentation for Epita	axial Growth of Complex	x W911	INF-14-1-0493		
Oxides	•	5b. G	RANT NUMBER		
		5c. PR	ROGRAM ELEMENT NUMBER		
		6111	03		
6. AUTHORS 5d		5d. PF	5d. PROJECT NUMBER		
Steven May					
		5e. TA	ASK NUMBER		
		5f. W	WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAM	ES AND ADDRESSES		8. PERFORMING ORGANIZATION REPORT		
Drexel University			NUMBER		
Office of Research					
3201 Arch Street, Suite 100					
<u> </u>	04 -2875				
9. SPONSORING/MONITORING AGENCY (ES)	Y NAME(S) AND ADDRES	S	10. SPONSOR/MONITOR'S ACRONYM(S) ARO		
U.S. Army Research Office P.O. Box 12211		11. SPONSOR/MONITOR'S REPORT NUMBER(S)			
Research Triangle Park, NC 27709-2211		65136-PH-RIP.1			
12. DISTRIBUTION AVAILIBILITY STATEMENT					
Approved for Public Release; Distribution Un	limited				
13. SUPPLEMENTARY NOTES The views, opinions and/or findings contained in this report are those of the author(s) and should not contrued as an official Department					
of the Army position, policy or decision, unle					
14. ABSTRACT					
The aim of this project was to acquire instrumentation to augment a molecular beam epitaxy (MBE) system used in					
the synthesis of complex oxide heterostructures. A RF oxygen plasma source was acquired to increase the oxidizing					
ability of the growth environment, an improvement that will prove critical in stabilizing materials with high oxidization states. The plasma source and accompanying electronics were purchased from Mantis Deposition, Inc					
and successfully installed on the MBE system. Additionally, a low noise electron source was acquired to improve in					
and successfully instance on the MDE system. Additionally, a low noise election source was acquired to improve in aits reflection high answers abstract differentian (DHEED) conshilities of manitoring thin film arrays to DHEED					
15. SUBJECT TERMS					
epitaxy, molecular beam epitaxy, oxide heterostructures					
16. SECURITY CLASSIFICATION OF:	17. LIMITATION OF	15. NUME			
a. REPORT b. ABSTRACT c. THIS PAGE	ABSTRACT	OF PAGES			
100 100 100	luu		19b. TELEPHONE NUMBER		

lυυ

UU

UU

UU

215-571-3650

Report Title

Final Report: Instrumentation for Epitaxial Growth of Complex Oxides

ABSTRACT

The aim of this project was to acquire instrumentation to augment a molecular beam epitaxy (MBE) system used in the synthesis of complex oxide heterostructures. A RF oxygen plasma source was acquired to increase the oxidizing ability of the growth environment, an improvement that will prove critical in stabilizing materials with high oxidization states. The plasma source and accompanying electronics were purchased from Mantis Deposition, Inc and successfully installed on the MBE system. Additionally, a low noise electron source was acquired to improve in situ reflection high energy electron diffraction (RHEED) capabilities of monitoring thin film growth. The RHEED source was purchased from Staib Instruments and successfully installed on the MBE system. The equipment is and will be used extensively to synthesize complex oxide heterostructures for ongoing and future investigations of correlated electron behavior, electronic phase transitions, and novel electronic devices.

Enter List of papers submitted or published that acknowledge ARO support from the start of the project to the date of this printing. List the papers, including journal references, in the following categories:

(a) Papers published in peer-reviewed journals (N/A for none)

Received Paper

TOTAL:

Number of Papers published in peer-reviewed journals:

(b) Papers published in non-peer-reviewed journals (N/A for none)

Received Paper

TOTAL:

Number of Papers published in non peer-reviewed journals:

(c) Presentations

Number of Presentations: 0.00					
	Non Peer-Reviewed Conference Proceeding publications (other than abstracts):				
Received	<u>Paper</u>				
TOTAL:					
Number of Non	Peer-Reviewed Conference Proceeding publications (other than abstracts):				
	Peer-Reviewed Conference Proceeding publications (other than abstracts):				
Received	<u>Paper</u>				
TOTAL:					
Number of Peer	Number of Peer-Reviewed Conference Proceeding publications (other than abstracts):				
	(d) Manuscripts				
Received	<u>Paper</u>				
TOTAL:					

Number of Ma	nnuscripts:		
		Books	
Received	<u>Book</u>		
TOTAL:			
Received	Book Chapter		
TOTAL:			
		Patents Submitted	
		Patents Awarded	
		Awards	
		Graduate Students	
NAME		PERCENT_SUPPORTED	
FTE Ed	quivalent: lumber:		
		Names of Post Doctorates	
NAME		PERCENT_SUPPORTED	
	quivalent: lumber:		

Names of Faculty Supported PERCENT SUPPORTED NAME National Academy Member Steven May 0.00 **FTE Equivalent:** 0.00 **Total Number:** 1 Names of Under Graduate students supported NAME PERCENT SUPPORTED **FTE Equivalent: Total Number: Student Metrics** This section only applies to graduating undergraduates supported by this agreement in this reporting period The number of undergraduates funded by this agreement who graduated during this period: 0.00 The number of undergraduates funded by this agreement who graduated during this period with a degree in science, mathematics, engineering, or technology fields:..... 0.00 The number of undergraduates funded by your agreement who graduated during this period and will continue to pursue a graduate or Ph.D. degree in science, mathematics, engineering, or technology fields:..... 0.00 Number of graduating undergraduates who achieved a 3.5 GPA to 4.0 (4.0 max scale):..... 0.00 Number of graduating undergraduates funded by a DoD funded Center of Excellence grant for Education, Research and Engineering:..... 0.00 The number of undergraduates funded by your agreement who graduated during this period and intend to work for the Department of Defense 0.00 The number of undergraduates funded by your agreement who graduated during this period and will receive scholarships or fellowships for further studies in science, mathematics, engineering or technology fields:..... 0.00 Names of Personnel receiving masters degrees

	NAME		
	Total Number:		
_		Names of personnel receiving PHDs	
	<u>NAME</u>		
	Total Number:		
_			

Names of other research staff

<u>NAME</u>	PERCENT_SUPPORTED	
FTE Equivalent:		
Total Number:		

Inventions (DD882)

Scientific Progress

See Attachment

Technology Transfer

Instrumentation for Epitaxial Growth of Complex Oxides W911NF-14-1-0493

PI: Steven May (Drexel University)

Period of Performance: 08/15/2014 – 08/14/2015

Project Accomplishments

The aim of this project was to acquire instrumentation to augment a molecular beam epitaxy (MBE) system used in the synthesis of complex oxide heterostructures. A RF oxygen plasma source was acquired to increase the oxidizing ability of the growth environment, an improvement that will prove critical in stabilizing materials with high oxidization states. The plasma source and accompanying electronics were purchased from Mantis Deposition, Inc and successfully installed on the MBE system. Additionally, a low noise electron source was acquired to improve *in situ* reflection high energy electron diffraction (RHEED) capabilities of monitoring thin film growth. The RHEED source was purchased from Staib Instruments and successfully installed on the MBE system. The equipment is and will be used extensively to synthesize complex oxide heterostructures for ongoing and future investigations of correlated electron behavior, electronic phase transitions, and novel electronic devices.

Both the plasma source and the RHEED source were installed on the MBE system in the PI's lab by the end of this project (August 2015). Photographs of the two pieces of equipment, adjoined to the MBE, are shown in Figure 1. Due to initial noise issues with the RHEED source that are believed to originate with the local Philadelphia subway system, inner shielding was also added to the MBE chamber to shield the electron beam on the flight path prior to the sample. The installation of this shielding was founded to dramatically increase the beam stability and mitigate intensity fluctuations. The RHEED source has been in continuous use with no downtime since it was installed. The plasma source is also operating as intended, after initially having to replace the discharge tube (this was supplied free of charge from the purchasing company).

Installed RHEED source

Installed plasma source




Figure 1. Photographs of the installed equipment on the MBE chamber. The RHEED source is shown on the left; the plasma source is shown on the right. The instrumentation is highlighted by the green circle and white arrow.

The RHEED source enables in situ monitoring of the surface electron diffraction pattern during thin film growth. Since the installation of the RHEED source, this technique has been used monitor the deposition of LaFeO₃, SrFeO₃, $(La,Sr)MnO_3$, (La,Sr)MnO₃/(La,Ca)MnO₃ films. The beam is very stable, allowing for tracking of the specular and off-specular spot intensities during growth. This information can then be used to provide insight into the number of monolayers deposited, surface reconstructions, and any degradation in film quality during deposition. An example of RHEED data collected using the new source is shown in Figure 2. Images of the electron diffraction pattern before and during the growth of a LaFeO₃ film on SrTiO₃ are shown. Intensity oscillations are observed throughout the deposition, the period of which corresponds to the growth of a single unit cell. The in situ information provided by RHEED will be of increasing importance as the PI's group moves to the synthesis of more complex materials, such as Ca_{1-x}Sr_xMn₇O₁₂, and complex layered heterostructures, such as three component superlattices.




Figure 2. The RHEED patterns (top) obtained during various stages of the deposition of LaFeO₃ on $SrTiO_3$. The bottom panels show the RHEED intensity oscillations (raw data) over ~50 minutes of a deposition (left) and a higher resolution plot of the oscillations over the course of three unit cells (right).

The plasma source, which produces monoatomic oxygen (O), enables the synthesis of oxide materials that require a stronger oxidizing environment than what can be achieved in either O₂ or dilute O₃ in O₂. The plasma source has been installed and the conditions needed to ignite and maintain the O plasma have been established, as shown in Figure 3. Efforts are now ongoing to optimize the growth conditions for films in an O plasma environment. The plasma source will play a critical role in stabilizing stoichiometric materials that have a strong propensity for oxygen vacancies such as SrFeO₃ and SrMnO₃.

The acquired instrumentation has made a direct impact on the education and scientific training of students and postdoctoral researchers at Drexel University. In the 3 months since its installation, the RHEED and plasma sources have been used by 4 graduate students and one




Figure 3. Photograph of the plasma source with an oxygen plasma ignited. The photo was taken through a viewport on the MBE chamber.

postdoctoral researcher in the PI's lab. The RHEED source is the only such system at Drexel. The instrumentation will be used for current and future ARO-funded projects focused on oxide heterostructures on which May is the PI or a co-PI. To enhance the educational opportunities of materials science students at Drexel, the PI plans to develop an activity utilizing the RHEED source within MATE 355 ("Structure and Characterization of Crystalline Materials"), a course he teaches annually. The activity would involve bringing the undergraduate students (juniors) to the PI's lab to measure surface electron diffraction patterns as a function of varying voltage (electron wavelength). This activity will

provide a direct demonstration of the role of the Ewald sphere in diffraction.

Summary of Accomplishments

- Acquired and installed a low noise, intensity stabilized RHEED source on the PI's oxide MBE chamber.
- Acquired and installed an RF oxygen plasma source on the PI's oxide chamber.
- Both the RHEED and plasma sources are operating as intended.
- Use of the RHEED source is now a routine part of film growth within the PI's lab. Growth conditions utilizing the oxygen plasma are now being optimized to yield high quality, oxygen stoichiometric films.